







Outline Dimension

UNIT : mm



55W LED Streetlamp White Light Technical Specification



Technical Specification

| Product name | | 55W LED Streetlamp White Light | | | | | | | | | |
|-----------------------------------|---------------------------------------|--|----|-----|-----|---------------------------------------|--|------|-----|-----|--|
| Color Temperature | | 5000K~6300K | | | | | | | | | |
| Product model | | sh-241.45-6.2 | | | | | sh-241.45-12 | | | | |
| Illumination module | | High power LED luminosity | | | | | High power LED luminosity | | | | |
| Total luminous flux | | 2729.33 lm | | | | | 2820.11 lm | | | | |
| Greatest luminosity | | 8429.02 cd | | | | | 2477.41 cd | | | | |
| Input voltage | | AC 110V~240V(50Hz/60HZ) | | | | | AC 110V~240V(50Hz/60HZ) | | | | |
| Power loss | | 65W | | | | | 65W | | | | |
| Diameter Height | Diameter degree of illumination (Lux) | | | | | Diameter degree of illumination (Lux) | | | | | |
| | Center | 4m | 8m | 14m | 16m | Center | 4m | 8m | 14m | 16m | |
| 6m | | | | | | 73 Lux | 47 | 22 | 9.3 | 7.8 | |
| 7m | | | | | | 54.5 Lux | 39 | 21 | 9 | 7.5 | |
| 8m | | | | | | 45 Lux | 32 | 18 | 9 | 6.9 | |
| 9m | 89 Lux | 56 | 12 | 5.7 | 4.5 | 37 Lux | 29 | 18 | 9 | 6.9 | |
| 10m | 73 Lux | 41 | 12 | 5.4 | 4.5 | 29 Lux | 25 | 17 | 8.3 | 7.2 | |
| 11m | 58 Lux | 40 | 11 | 5 | 4.2 | 25 Lux | 20 | 14.5 | 8 | 6.5 | |
| 12m | 46 Lux | 22 | 8 | 4.3 | 3.7 | 21 Lux | 19 | 14 | 7.5 | 6.3 | |
| Operating environment temperature | | -20~+50°C | | | | | -20~+50°C | | | | |
| LED life | | 50000hr | | | | | 50000hr | | | | |
| Waterproof rank | | IP66 | | | | | IP66 | | | | |
| Lamp body | | Aluminum alloy casting, powder body painting | | | | | Aluminum alloy casting, powder body painting | | | | |
| Fit in with shaft diameter | | 45mm~50mm(In addition has hangs the wall type ~50mm) | | | | | | | | | |
| Weight | | 7.5kg | | | | | 7.5kg | | | | |
| Size | | Ø 410x320mm | | | | | Ø410x320mm | | | | |

Real Module :

